

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L3	1195	318/701	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/27 16:16
L4	173	318/701 and ((open\$2 or short\$2) adj2 circuit\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/27 16:17
L5	50	318/701 and ((open\$2 or short\$2) adj2 circuit\$4) and (transistor or switch\$4) and pwm	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/27 16:17
L6	7	318/701 and ((open\$2 or short\$2) adj2 circuit\$4) and (transistor or switch\$4) and pwm and (increas\$4 near4 (reluctance or resistance))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/27 16:26
L7	17	318/701 and ((open\$2 or short\$2) adj2 circuit\$4) and (transistor or switch\$4) and (modulat\$4 or pwm) and (increas\$4 near4 (reluctance or resistance))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/27 16:42
L8	10	7 not 6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/27 16:27
L9	19	"318"/\$ and ((open\$2 or short\$2) adj2 circuit\$4) and (transistor or switch\$4) and (modulat\$4 or pwm) and (increas\$4 near4 (reluctance or resistance)) and (h\$2 adj2 bridge)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/27 16:44
L10	75	"318"/\$ and ((open\$2 or short\$2) adj2 circuit\$4) and (transistor or switch\$4) and (modulat\$4 or pwm) and (increas\$4 near4 (reluctance or resistance)) and (inverter or (h\$2 adj2 bridge))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/27 18:11
L11	46	10 not (9 or 7)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/27 18:09
L12	19	11 and flux	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/27 17:59
L13	27	10 not (9 or 7 or 12)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/27 18:09
L14	0	"318"/\$ and ((open\$2 or short\$2) adj2 circuit\$4) and (transistor or switch\$4) and (modulat\$4 or pwm) and (increas\$4 near4 (reluctance or resistance)) and (inverter or (h\$2 adj2 bridge)) and on and off	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/27 18:21
L15	21	"318"/\$ and ((open\$2 or short\$2) adj2 circuit\$4) and (transistor or switch\$4) and (modulat\$4 or pwm) and ((increas\$4 near4 (reluctance or resistance)) same (motor or rotor)) and (inverter or (h\$2 adj2 bridge)) and (((open\$2 or short\$2) adj2 circuit\$4) same (transistor or switch\$4))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/27 18:25

EAST Search History

L16	13	"318"/\$ and ((open\$2 or short\$2) adj2 circuit\$4) and (transistor or switch\$4) and (modulat\$4 or pwm) and ((increas\$4 near4 (reluctance or resistance)) same (motor or rotor)) and (inverter or (h\$2 adj2 bridge)) and (((open\$2 or short\$2) adj2 circuit\$4) same (transistor or switch\$4)) and short\$4 and open\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/27 18:25
S1	4821	(318/254).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/20 14:42
S2	255	S1 and ((short\$4 or open\$4) near4 circuit\$4) and inverter	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/20 14:43
S3	409	S1 and ((short\$4 or open\$4) near4 circuit\$4) and (inverter or bridge or (h\$2 adj2 bridge))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/20 14:45
S4	1	S1 and ((short\$4 or open\$4) near4 circuit\$4) and (inverter or bridge or (h\$2 adj2 bridge)) and (pwm or modulat\$4) and period and viscosity	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/20 15:04
S5	1	S1 and ((short\$4 or open\$4) near4 circuit\$4) and (pwm or modulat\$4) and period and viscosity	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/20 15:07
S6	2	"20040155616"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/20 15:06
S7	0	"20040155616" and viscosity	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/20 15:06
S8	0	"20040155616" and viscosity	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/20 15:06
S9	1	"20040155616" and viscosity	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/20 15:06
S10	145	S1 and ((short\$4 or open\$4) near4 circuit\$4) and (pwm or modulat\$4) and period and (viscosity or resistance)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/20 15:17
S11	48	S1 and ((short\$4 or open\$4) near4 circuit\$4) and (pwm or modulat\$4) and period and ((viscosity or resistance) near4 motor)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/20 15:19
S12	29	S1 and ((short\$4 or open\$4) near4 circuit\$4) and (pwm or modulat\$4) and period and (((viscosity or resistance) near4 motor) same (period or on\$2 or off\$4))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/20 15:37

EAST Search History

S13	28	S1 and ((short\$4 or open\$4) near4 circuit\$4) and (pwm or modulat\$4) and period and (((viscosity or resistance) near4 motor) same (period or on\$2 or off\$4)) and (on\$2) and off\$2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/20 15:39
S14	0	S1 and ((short\$4 or open\$4) near4 circuit\$4) and (pwm or modulat\$4) and period and (((viscosity or resistance) near4 motor) same (period or on\$2 or off\$4)) and (on) and off	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/20 15:39
S15	29	S1 and ((short\$4 or open\$4) near4 circuit\$4) and (pwm or modulat\$4) and period and (((viscosity or resistance) near4 motor) same (period or on\$2 or off\$4)) and (switch\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/20 15:43
S16	2	S1 and ((short\$4 or open\$4) near4 circuit\$4) and (pwm or modulat\$4) and period and (((viscosity or resistance) near9 motor) same (period or on\$2 or off\$4)) and (switch\$4) and (on\$2 adj2 state) and (off\$2 state)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/20 15:44
S17	1	318/599 and ((short\$4 or open\$4) near4 circuit\$4) and (pwm or modulat\$4) and period and (((viscosity or resistance) near9 motor) same (period or on\$2 or off\$4)) and (switch\$4) and (on\$2 adj2 state) and (off\$2 state)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/20 15:46
S18	5	318/599 and (pwm or modulat\$4) and period and (((viscosity or resistance) near9 motor) same (period or on\$2 or off\$4)) and (switch\$4) and (on\$2 adj2 state) and (off\$2 state)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/20 15:45
S19	5	318/599 and (pwm or modulat\$4) and period and (((viscosity or resistance) near9 motor) same (period or on\$2 or off\$4)) and (switch\$4) and (((on\$2 adj2 state) and (off\$2 state)) or (on and off))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/20 15:46
S20	10	"318"/\$ and ((short\$4 or open\$4) near4 circuit\$4) and (pwm or modulat\$4) and period and (((viscosity or resistance) near9 motor) same (period or on\$2 or off\$4)) and (switch\$4) and (on\$2 adj2 state) and (off\$2 state)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/20 17:19
S21	1	"318"/\$ and ((short\$4 or open\$4) near4 circuit\$4) and (pwm or modulat\$4) and period and (((viscosity or resistance) near9 motor) same (period or on\$2 or off\$4)) and (switch\$4) and on and off	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/20 15:50
S22	3	((short\$4 or open\$4) near4 circuit\$4) and (pwm or modulat\$4) and period and (((viscosity or resistance) near9 motor) same (period or on\$2 or off\$4)) and (switch\$4) and on and off	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/20 15:50
S23	8	((short\$4 or open\$4) near4 circuit\$4) and (pwm or modulat\$4) and period and ((viscosity or resistance) near9 (ratio or period or motor)) and (switch\$4) and on and off	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/20 15:51
S24	26	((short\$4 or open\$4)) and (pwm or modulat\$4) and period and ((viscosity or resistance) near9 (ratio or period or motor)) and (switch\$4) and on and off	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/20 15:51
S25	1	"318"/\$ and ((short\$4 or open\$4) near4 circuit\$4) and (pwm or modulat\$4) and period and (((viscosity or resistance) near9 motor) same (period or on\$2 or off\$4)) and (switch\$4) and (on\$2 adj2 state) and (off\$2 state) and ((viscosity or resistance) near9 increas\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/20 17:20

EAST Search History

S26	1	"318"/\$ and ((short\$4 or open\$4) near4 circuit\$4) and (pwm or modulat\$4) and period and (((viscosity or resistance) near9 motor) same (period or on\$2 or off\$4)) and (switch\$4) and (on\$2 adj2 state) and (off\$2 state) and ((viscosity or resistance) near9 (rais\$4 or increas\$4))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/20 17:23
S27	2	((short\$4 or open\$4) near4 circuit\$4) and (pwm or modulat\$4) and period and (((viscosity or resistance) near9 motor) same (period or on\$2 or off\$4)) and (switch\$4) and (on\$2 adj2 state) and (off\$2 state) and ((viscosity or resistance) near9 (rais\$4 or increas\$4))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/20 17:24
S28	4	((short\$4 or open\$4) near4 circuit\$4) and (pwm or modulat\$4) and period and (((viscosity or resistance or reluctance) near9 motor) same (period or on\$2 or off\$4)) and (switch\$4) and (on\$2 adj2 state) and (off\$2 state) and ((viscosity or resistance or reluctance) near9 (rais\$4 or increas\$4))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/20 17:26
S29	123	((short\$4 or open\$4) near4 circuit\$4) and (pwm or modulat\$4) and period and (((viscosity or resistance or reluctance) near9 motor) same (period or on\$2 or off\$4)) and (switch\$4) and ((viscosity or resistance or reluctance) near9 (rais\$4 or increas\$4))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/20 17:27
S30	1	((short\$4 or open\$4) near4 circuit\$4) and (pwm or modulat\$4) and period and (((viscosity or resistance or reluctance) near9 motor) same (period or on\$2 or off\$4)) and (switch\$4) and ((viscosity or resistance or reluctance) near9 (rais\$4 or increas\$4)) and on and off	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/20 17:39
S31	1	((short\$4 or open\$4) near4 circuit\$4) and (pwm or modulat\$4) and period and ((viscosity or resistance or reluctance) near9 motor) and (switch\$4) and ((viscosity or resistance or reluctance) near9 (rais\$4 or increas\$4)) and on and off	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/20 17:46
S32	9	((short\$4 or open\$4) near4 circuit\$4) and (pwm or modulat\$4) and period and ((viscosity or resistance or reluctance)) and (switch\$4) and ((viscosity or resistance or reluctance) near9 (rais\$4 or increas\$4)) and on and off	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/20 17:55
S33	9	((short\$4 or open\$4) near4 circuit\$4) and (pwm or modulat\$4) and period and ((viscosity or resistance or reluctance)) and (switch\$4) and ((viscosity or resistance or reluctance) near9 (rais\$4 or increas\$4 or intens\$4)) and on and off	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/20 17:57
S34	2365	((short\$4 or open\$4) near4 circuit\$4) and (pwm or modulat\$4) and period and ((viscosity or resistance or reluctance)) and (switch\$4) and ((viscosity or resistance or reluctance) near9 (rais\$4 or increas\$4 or intens\$4))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/20 18:19
S35	219	((short\$4 or open\$4) near4 circuit\$4) and (pwm or modulat\$4) and period and ((viscosity or resistance or reluctance)) and (switch\$4) and ((viscosity or resistance or reluctance) near9 (rais\$4 or increas\$4 or intens\$4)) and "318"/\$	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/20 18:20
S36	21	((short\$4 or open\$4) near4 circuit\$4) and (pwm or modulat\$4) and period and ((viscosity or resistance or reluctance)) and (switch\$4) and ((viscosity or resistance or reluctance) near9 (rais\$4 or increas\$4 or intens\$4)) and "318"/\$ and (on\$2 adj2 (period or state)) and (off\$2 adj2 (state or period))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/20 18:21